

KARTELL LAUFEN

5-hole roman tub filler, projection 173 mm, fixed spout, without plate, with handspray TwinStick



DIMENSIONS

Length	1 mm
Width	1 mm
Height	1 mm

Application : Bath

Check valve

Commodity Code/Import Code Number for Foreign Trad : 84819000

Diverter : Automatic

Faucet type : Twin-lever

Fixed spout

Flexible supply hoses included

Flow rate (l/min - 3 bar) : 29.7

Installation type : Deck-mounted

Net weight (kg) : 4.61


Spout position : High

Twin lever control : 1/4 Turn

Type of cartridge : Ceramic Disc

Water connection diameter : 1/2" - 1/2"

TECHNICAL DRAWINGS



COMPATIBLE WITH



Bathtub, drop-in version, made of Sentec solid surface, with tap bank on left-hand side, with slot overflow in the side at the front, with frame

H223331...6161



Freestanding bathtub, made of Sentec solid surface, with tap bank on right-hand side, with slot overflow, with lifting system

H223332...6161



Bathtub, right corner, made of Sentec solid surface, with panel, with tap bank, with slot overflow in the side at the front, with frame

H223335...6161



Bathtub, drop-in version, made of Sentec solid surface, with tap bank on right side, with slot overflow in the side at the front, with frame

H224331...6161



Freestanding bathtub, made of Sentec solid surface, with tap bank on left-hand side, with slot overflow, with lifting system

H224332...6161



Bathtub, left corner, made of Sentec solid surface, with panel, with tap bank, with slot overflow in the side at the front, with frame

H224336...6161



Freestanding bathtub, made of Sentec solid surface, with slot overflow and tap bank at foot end, with lifting system

H222332...6161





Kartell LAUFEN

Kartell • LAUFEN transports you to a realm of ethereal beauty, where the ordinary dissolves into a bold fusion of colour, light, and design. This visionary collaboration redefines the bathroom, inviting you to shape a fluid, ever-evolving space, transforming it from mere function into a canvas for creativity and self-expression.



#certification_text

Standards and approvals: B