

INEO

INEOLINK brickwall concealed cistern for
wall-hung WC and shower WC



#mountingAccessoriesExcluded_text

LAUFEN INEO Flush Plate with two-cable activation
LAUFEN INEO Flush Plate with sensor-motor activation
Spare parts and many more accessories available

Bullet Point I : Pre-assembled LAUFEN INEOLINK concealed cistern for wall-hung WC.

Bullet Point II : It has a zinc-plated metal frame to be conveniently installed in a brick-built wall. The frame includes the threads for the 2x M12 bolts for the wall-hung WC

Bullet Point III : It has tool-free fastening and cable connections for flush plates. The dual flush is preset to 6l/3l and can be adjusted down to 4l/2l. Flushing performance can be adjusted on the fly, without disassembly of the flush valve, to avoid over-splashing. All internal components can be replaced and maintained without the use of tools either

Bullet Point IV : INEOLINK are designed for perfect compatibility with the wide range of LAUFEN INEO Flush Plates and LAUFEN ceramic products including toilets, urinals, washbasins and bidets

Bullet Point V : H9261010000001 complies with EN 14055

Commodity Code/Import Code Number for Foreign Trad : 39229000

Dynamic pressure range : 0,5 - 10 Bar

Elbow connection : DN90 (110 mm)

Flushing volume preset : Dual flush 3/6 litres

Material : Plastic, Steel zinc plated

Maximum Temperature (°C) : 25

Net weight (kg) : 6.98

Operating panel position : Frontal

Suitable for : Wall-hung WC

Tank depth (mm) : 125

Water inlet position : Top



Adjustable flushing volume

Adjustable flushing volume: Dual flush
4/2 litres



Adjustable flushing volume



Adjustable flushing volume: Dual flush
3/4,5 litres



Adjustable flushing volume

Adjustable flushing volume: Dual flush
6/3 litres

TECHNICAL DRAWINGS





INEO

INEO, a proven and well established installation system “made in Germany”, puts LAUFEN’s premium quality and convenience behind the wall too. The system with its prefabricated parts offers clever solutions for fast and uncomplicated installation for new construction or refurbishment.

